




SP1360W

- Prints with CMYK plus White toner
- Prints White under CMYK in a single pass for full color on dark media
- End user replaceable consumables ensures minimum down time
- High-density White toner for outstanding coverage on color stock
- Printer control system adjusts for sharp, clear images every time
- High print speeds of up to 50 ppm CMYK/Mono, and 45 ppm CMYKW
- Low total cost of ownership (TCO)

Print in color and white, on substrates that you would never have thought possible with a short-run printer. Designed to meet the needs of a diverse range of specialty print applications, the SP1360W delivers vibrant, high-quality color printing on a wide range of media. No matter if you're small business, commercial print provider or anything in between, the SP1360W has something to offer. The addition of white toner lets you do what most short-run print devices can't. Broaden your offerings with stunning white-on-color and brilliant color on dark media. The SP1360W gives you the ability to create a wide range of outputs, including invitations, stationery, brochures, packaging prototypes, point-of-sale material, window graphics, labels and more.

No longer limit your print offerings to just plain white medias! Change up the game with unique print capabilities. By utilizing our white toner as a base, it is now possible to print rich colored graphics onto vibrant colored stocks! Use these unique features and capabilities to produce high-value output; postcards, invitations, 8 panel brochures, packaging, envelopes, labels and more on specialty papers and stocks in sizes as small as 3" x 5" and up 13" x 52". This incredible size range combined with a maximum media weight of 360 gsm and our straight through paper path gives you unmatched media handling capabilities.



Specifications

Print Speed	CMYK/Mono	50 ppm Letter-size sheets, 27 ppm Tabloid sheets
	CMYKW	45 ppm Letter-size sheets
Time to First Page	CMYK/Mono	Approx. 8 seconds
Duty Cycle	Printers	300,000 pages max per month
Print Quality	Resolution	Up to 1200 x 1200 dpi; ProQ 1200 x 600 x 16 levels
Memory	RAM (Standard/Max)	2 GB
	Processor	1.2 GHz ARM CPU
Compatibility	Printer Languages	Adobe® PostScript 3™, PCL® 6, PCL 5c, XPS®
	Connectivity	High-speed USB 2.0, 10 Base-T/100 Base-TX/1000 Base-T Ethernet
	Operating Systems	Windows 10, Windows® 8, Windows 7, Windows Vista®, Windows XP, Windows Server 2012, Windows Server 2008, Windows Server 2008 R2, Windows Server 2003; Mac® OS 10.3.9 – 10.9
	Network Protocols	TCP/IP, EtherTalk
Color Features/ Solutions	Standard	PostScript® driver supports trapping; Embedded ICC Profile-based workflow; Simulations for SWOP, ISO Coated, Japan Color; PDF Direct Print; PS Gamma Adjust; and Color Correct
Media Handling	Media Sizes	Trays 1 & 2: Up to 12.00" x 18.00" Multi-purpose Tray: Min 2.52" x 3.50" up to 13.00" x 52.01"
	Media Weight	Trays 1 & 2 : 52–320gsm Multi-purpose Tray: 80–360gsm
Media Capacity	Multi-purpose Tray	Up to 310 sheets
	Trays 1 & 2	Up to 580 sheets each
	High-Capacity Feeder (Optional)	Up to 1740 sheets (3 trays, 580 sheets each)
Media Output	Face Down	Max 610 sheets
	Face Up	Max 300 sheets
Environmental	Size (WxDxH)	27.5" x 26.18" x 25.2" (699 mm x 665 mm x 640 mm)
	Weight	215.2 lb. (97.6 kg) including consumables
	Temperature/Humidity	50° – 90° F (10° – 32° C) / 20% – 80%RH
	Power Consumption	115V 15A Active 1600W max. /1100W avg.; Standby avg. 40W; PowerSave mode 30W or less; Sleep mode 4W or less; Auto Shutoff 0.4W or less.
	Noise Levels	Printer: Active 57dBA or less; Standby 34dBA or less; PowerSave mode – Inaudible
Warranty	Limited	1 year warranty